































- streams impacted by agricultural runoff. *International Review of Hydrobiology*, 94: 399–409. DOI:10.1002/iroh.200811154
- SUBERKROPP, K. & M.J. KLUG. 1980. The maceration of deciduous leaf litter by aquatic hyphomycetes. *Canadian Journal of Botany*, 58: 1025–1031. DOI:10.1139/b80-126
- SUBERKROPP, K. 1984. Effect of temperature on seasonal occurrence of aquatic hyphomycetes. *Transactions of the British Mycological Society*, 82: 53–62. DOI:10.1016/S0007-1536(84)80211-9
- SUBERKROPP, K. 1998. Microorganisms and organic matter decomposition. In: *River Ecology and Management: lessons from the Pacific coastal ecoregion*. R.J. Naiman & R.E. Bilby (eds.): 120–143. Springer, New York, USA.
- TISTHAMMER, K.H., G.M. COBIAN & A.S. AMEND. 2016. Global biogeography of marine fungi is shaped by the environment. *Fungal Ecology*, 19: 39–46. DOI:10.1016/j.funeco.2015.09.003
- TOLKKINEN, M., H. MYKRÄ, A.-M. MARKKOLA, H. AISALA, K.-M. VUORI, J. LUMME, A.M. PIRTILLÄ & T. MUOKTA. 2013. Decomposer communities in human impacted streams: species dominance rather than richness affects leaf decomposition. *Journal of Applied Ecology*, 50: 1142–1151. DOI:10.1111/1365-2664.12138
- WOOD-EGGENSCHWILER, S. & F. BÄRLOCHER. 1983. Aquatic hyphomycetes in sixteen streams in France, Germany and Switzerland. *Transactions of the British Mycological Society*, 81: 371–379. DOI:10.1016/S0007-1536(83)80089-8
- WOOD-EGGENSCHWILER, S. & F. BÄRLOCHER. 1985. Geographical distribution of Ingoldian fungi. *Verhandlungen des Internationalen Verein Limnologie*, 22: 2780–2785.
- ZAR, J.H. 2010. *Biostatistical Analysis*. Prentice Hall. New Jersey, USA.